











 $w\ w\ w\ .\ e\ n\ e\ c\ o\ n\ .\ c\ o\ m$

The One Source for All of Your Repair and Maintenance Needs....


Solutions for Erosion, Corrosion, Cavitation, Wear and Chemical Attack Problems on:

pipes • pumps • impellers • valves • tanks • condensers • heat exchangers • tube sheets • water boxes • chillers • absorbers • shafts • hydraulic rams • FGD systems • scrubbers • centrifuges • cooling towers • containment dikes • troughs • spillways • propellers • kort nozzles • bow thrusters • rudders • struts • hull fairing

A recognized world leader in developing advanced polymer technologies, ENECON® Corporation has pioneered unique coating systems for industries including: the U.S. Navy, the petrochemical industry and electrical utilities. These extraordinary polymer systems are the result of years of research and development work that began with the first epoxy slip-resistant deck coatings approved by the U.S. Navy and the first products approved to the Department of Defense Specification C-24176 for hull fairing / smoothing.

The senior management of ENECON® have many years of combined practical experience in troubleshooting industrial fluid flow problems. They have worked closely in the past with such diverse and prestigious organizations as the Panama Canal, Army Corps of Engineers, United States Navy, nuclear and fossil fuel power stations, pulp and paper mills, petrochemical plants, mining and quarrying operations, food processing facilities, pharmaceutical companies, etc.

ENECON® is strategically positioned to provide industry, utilities and institutions with the finest repair and protection products and services available. **ENECON®**, therefore, is the name to call when fluid flow problems are costing you time, money and aggravation.





ENECON products are manufactured under an ISO 9001 Registered Quality Management System.















METALCLAD...

The most advanced metal repair & protection systems available

Wherever erosion, corrosion, wear or chemical attack create problems in fluid flow systems, METALCLAD® polymer composites provide the ultimate solution.

ENECON® researchers have combined the latest and safest polymer technology with unrivaled fluid flow systems engineering know-how to produce the most advanced polymer systems available for rebuilding, resurfacing and protecting virtually all fluid flow components as well as plant structures.

METALCLAD® systems exhibit outstanding compressive and flexural strengths as well as phenomenal adhesion. Their ability to cure at low temperatures, provide superb chemical resistance and non-shrink properties make METALCLAD® the obvious choice for the maintenance engineering professional.

METALCLAD® repair and protection systems offer incredible savings over conventional repair or replacement procedures.

SpeedAlloy® & SpeedAlloy® QS

Leak Repair Polymer Composites



The "leak stopper!"

Fast, easy, non-slump; can be used to repair just about any leak in minutes. Ideal for pipes, tanks, sumps, casings, radiators, fuel tanks, etc. Bonds to virtually any rigid surface!

CeramAlloy® CP+AC

Erosion / Corrosion Resistant Repair & Rebuilding Polymer Composite



Outstanding erosion resistance. Trowelable system for repairing and rebuilding metal damaged by erosion and corrosion: on pumps, valves, heat exchangers, tube sheets, water boxes, etc.

CeramAlloy® CBX & EBX

Abrasion Resistant Polymer Composites





Repair & protect all types of equipment subject to very aggressive abrasion. Engineered to repair deeply damaged components.

DurAlloy®

Repair & Rebuilding Polymer Composite / Fully Machinable



Multi-purpose; can be drilled, tapped, turned on a lathe, sanded and polished. Can be used to repair worn shafts, cracked casings and engine blocks, stripped threads, sloppy keyways, scored hydraulic rams, oversize bearing / bush housings, etc.

CeramAlloy® CL+AC

Erosion / Corrosion Resistant Resurfacing Polymer Composite



The ultimate resurfacing system for protecting fluid flow equipment. Brushable, self-leveling, castable: for pumps, valves, water boxes, tube sheets, tanks, propellers, kort nozzles, bow thrusters, rudders, struts, etc.

METALCLAD[®]...

The most advanced metal repair & protection systems available

CeramAlloy® HTP & HTL

High Temperature Resistant Repair, Rebuilding and Resurfacing Polymer Composites

To combat the problems caused by corrosive environments on equipment accelerated by elevated operating temperatures, ENECON® has developed specialized versions of its CeramAlloy that can withstand elevated temperatures in immersed service and under dry conditions.

These materials, CeramAlloy® HTP and CeramAlloy® HTL can be used to repair and rebuild localized damage as well as coat and protect entire components from future damage.


CeramAlloy® HTP is a two component, 100% solids polymer composite specifically formulated to rebuild and repair all types of fluid flow equipment that may be subject to elevated temperatures.

CeramAlloy® HTL is a two component, 100% solids, liquid polymer composite used for repairing, resurfacing and coating both damaged and new components to provide outstanding erosion and corrosion resistance at elevated temperatures.

Repair & rebuild all types of equipment, outstanding erosion/corrosion resistance - even at elevated temperatures!











DuraWrap[®]

Carbon Fiber, Polymer Composite Pipe Wrap System

METALCLAD® DuraWrap® polymer / carbon fiber reinforced composite makes repairing and rebuilding aging, often severely deteriorated piping, tanks and other fluid flow equipment possible.

The ENECON® **DuraWrap®** composite, a unique marriage of ENECON®'s high performance polymers and cutting-edge carbon fiber technology, was specifically created to repair, rebuild, reinforce and even restore the integrity of such fluid flow systems - thereby greatly extending service life and eliminating the need for expensive replacement.

DuraWrap® can be applied to the interior and / or exterior of piping and equipment to both seal and strengthen these components. When applied to the interior walls of underground or otherwise inaccessible piping, **DuraWrap®** can effectively repair and restore pipe integrity without expensive excavation and replacement.

The outstanding performance of the ENECON® DuraWrap® system allows today's maintenance professional to extend the service life of yesterday's equipment and structures.

Repair, reclaim, reinforce & extend the life of all types of metal & concrete pipes & tanks.







Extraordinary, super resilient polymer systems specifically developed for cavitation problems

DuraTough™ DP & DL

Cavitation Resistant Repair, Rebuilding & Resurfacing Elastomeric Polymer Composites

Whether it's pump impellers or ship propellers, cavitation damage to metal is a never ending problem — and one that presented very few repair options to the maintenance engineer in the past. But now, FLEXICLAD® DuraTough™ systems provide exceptional protection to equipment prone to cavitation attack and subsequent damage. Super tough, super resilient and cost effective.

FLEXICLAD® DuraTough™ DP is a two component, 100% solids elasto-ceramic polymer composite specifically formulated to rebuild equipment prone to cavitation attack and subsequent damage.

FLEXICLAD® DuraTough™ DL is a two component, 100% solids, fluid consistency elasto-ceramic polymer composite specifically formulated to resurface and protect equipment subject to cavitation and accelerated erosion / corrosion.

Superior strength, durability and adhesion with flexibility, abrasion resistance and elongation.



Elastomeric Repair & Resurfacing Polymer Composite

FLEXICLAD® ER is a two component, 100% solids, trowelable polymer composite that has been specifically formulated to repair damaged flexible components such as conveyor belts, hoses, expansion joints, etc.

- Conveyor Belts
- Hoses
- · Resilient Bonding of Metals, Woods, etc.
- Creating / Repairing Flexible Seals, Gaskets & Seats
- Expansion Bellows
- Damaged Sidewalls on Off-Road Tires









FLEXICLAD® PC & LC

Elastomeric Expansion Joint Compounds

FLEXICLAD® PC is a two component, 100% solids, trowelable elastomeric polymer composite that has been specifically formulated to seal vertical expansion joints in concrete as well as other cementitious / mineral substrates including: tiles, brick, slate, stone, etc. It also bonds very well to metal and wood surfaces.

FLEXICLAD® LC is a two component, 100% solids, pourable elastomeric polymer composite that has been specifically formulated to seal expansion joints in concrete as well as other cementitious / mineral substrates including: tiles, brick, slate, stone, etc. It also bonds very well to metal and wood surfaces.

- Secondary Containment Areas
- Loading Docks
- Patios
- Roof Decks





The ultimate in chemical protection systems

ENECON®'s **CHEMCLAD®** systems are the finest chemical resistant claddings available resistant to a wide variety of organic and inorganic acids, alcohols, alkalis, esters, ethers, hydrocarbons, halogenated hydrocarbons, ketones, oils, salts, etc.,

They are revolutionary polymer composites that can be easily and safely applied by brush, roller, squeegee or airless spray - even in confined spaces.

For Metal...
pipes, tanks, pumps, valves, fume hoods,
drains, heat exchangers, etc.
For Concrete...
containment dikes, troughs, spillways,

containment dikes, troughs, spill process areas, etc.

CHEMCLAD GP

General Purpose High Performance Polymer Composite Coating System For Industrial / Commercial Applications In Standard Chemical Environments



CHEMCLAD® GP - a two component, 100% solids, high performance, general purpose polymer system used for creating an outstanding corrosion and chemical resistant protective coating on all types of equipment and structures.

CHEMCLAD SC

NSF Approved - Protects All Types Of Surfaces In Potable Water Applications



CHEMCLAD® SC - a two component, 100% solids, polymer system that creates an outstanding corrosion and chemical resistant protective coating on all types of potable water equipment and structures.





CHEMCLAD® GP is simple to use. It mixes easily and can be applied by brush, roller or airless spray. It is available in different colors to simplify overcoating. This high gloss coating yields a surface that's not only functional, but also aesthetically pleasing.

CHEMCLAD® XC

Outstanding Polymer Composite Coating System For Extraordinary Chemical Environments



CHEMCLAD® XC is a two component, 100% solids, ultra high performance, chemical resistant coating that provides unrivaled protection in some of the toughest chemical environments.

The finest concrete repair & protection systems available



The **ENECRETE®** family of products covers a wide range of repair and protection products specifically designed to tackle some of the toughest concrete problems. Including: wear, impact and abrasion problems as well as hydrostatic pressure situations.

ENECRETE® materials exhibit extraordinary adhesion to existing concrete as well as most other masonry substrates including: brick, tile, stone, terrazzo, etc.

Whether the problem is on floors, walls, secondary containment areas, leaking basements, elevator pits or any other concrete structure, there is an **ENECRETE®** material that can help solve your toughest repair and protection issues.

- Extraordinary Adhesion
- Outstanding Compressive Strength
- 100% Solids
- Safe & Simple To Use

DuraFill®


Filling Deep Holes & Broadcast Floors



A two-component, 100% solids, polymer system specifically designed for broadcast flooring applications and filling deeper holes and cavities in concrete when combined with locally sourced aggregates.

DuraQuartz

Concrete Repair Polymer Composite



A three-component, 100% solids, concrete repair compound specifically formulated and precisely engineered to provide solutions to the most difficult concrete repair and protection problems.

DuraQuartz LW is a light weight aggregate version for vertical and overhead surfaces

DuraQuartz®RR

Rapid Concrete Repair Polymer Composite



A three-component, 100% solids, concrete repair composite specifically formulated and precisely engineered to provide solutions to concrete repair problems that require a quick return-to-service repair.

ENECRETE WP

Hydrostatic Resistant Composite For Stopping Active Water Leaks



A cementitious, one component, extremely fast-setting product with the ability to stop running water through masonry structures. It is designed to be mixed with water and to set within one minute.

ENECRETE®WS

Hydrostatic Resistant Composite For Sealing Damp Walls & Floors



A protective and waterproofing product for masonry structures. It employs a multiple curing reaction process to impart its exceptional properties for waterproofing, chemical resistance and adhesion.



For weather & waterproofing problem areas on all types of roofs - plus unrivaled heat refraction properties

ENESEAL® HR



ENESEAL® HR is a single component, water based, liquid ceramic-filled membrane which cures to a durable, seamless, flexible 'skin' that refracts and reflects heat while providing a moisture resistant barrier to virtually any type of surface.

ENESEAL" CR

Surface Tolerant / Corrosion Resistant Flexible Coating



ENESEAL® CR is a single component, water based, liquid coating which dries to a highly durable, corrosion resistant, elastomeric 'skin' that provides extraordinary environmental protection to metal and concrete / masonry surfaces.

ENESEAL® MP

Weather Resistant, Concrete / Masonry Penetrating Sealer



ENESEAL® MP is a single component, water-based, ultra-low viscosity weather barrier which dries to an invisible, water repellant masonry sealer. It provides extraordinary weather protection to virtually all types of concrete, masonry and mineral surfaces.



ENESEAL® HR is easily applied by brush, roller or spray. Because it's water based, cleanup is quick and easy with soap and water. Completely non-toxic and non-flammable. It can provide many years of weatherproofing protection to just about any type of roof.



ENESEAL® CR is a 'surface tolerant' coating system that does not require abrasive blasting. It exhibits excellent adhesion to all types of ferrous metal as well as galvanized surfaces. Mechanical wire brushing, grinding or high pressure water blasting is typically acceptable to achieve good adhesion.

ENESEAL® MP/HS

Concrete / Masonry Penetrating Sealer for Horizontal Surfaces



ENESEAL® MP/HS is specially formulated to provide long-term protection on **horizontal surfaces**.

ENECLAD...

Rugged & reliable high-performance protection - the ultimate floor protection system



Easy to apply **ENECLAD**® seals and strengthens concrete floors. These high performance polymer composites are extremely abrasion resistant, making them ideal for heavy traffic areas in warehouses, hangars, loading docks, etc. They jacket the surface in a rugged coating that resists forklift traffic, oil, gasoline and most industrial chemicals.

ENECLAD® systems are solvent-free, odor-free, 100% solids, multi-component products specifically developed to solve the toughest industrial floor protection problems. They are easily applied by brush, roller or squeegee to a super high-gloss finish. Non-skid aggregates can be incorporated into the **ENECLAD**® systems to provide a highly durable, slip-resistant surface. **ENECLAD**® systems can also be used to repair and level damaged concrete surfaces, making them suitable for our extended line of **ENECLAD**® high-gloss topcoats.

ENECLAD® FPS

High Performance Floor Protection System



This extraordinary high performance polymer composite is extremely abrasion resistant, making it ideal for heavy traffic areas in warehouses, hangars, loading docks, etc.

ENECLAD[®] CFS

High Performance Clear Floor Sealer



A two-component, 100% solids, clear concrete sealer that is virtually odor-free and has no V.O.C.'s. It has been specifically formulated to provide outstanding sealing and dust-proofing for all types of cement and mineral substrates.

ENECLAD[®] SPS

High Performance Polymer Composite Self Priming Screed System



A three-component, 100% solids, concrete primer / sealer that is specifically formulated to smooth-out rough concrete surfaces in order to improve the appearance of ENECON® top-coats such as ENECLAD® FPS or CHEMCLAD®.

ENECLAD WBC

Breathable, High Performance Floor Protection



A two component, water-based, breathable coating system specifically designed to seal and protect concrete surfaces that may experience moisture problems. It resists blistering due to hydrostatic pressure and bonds to virtually any mineral / cement substrate as well as wood.




Ultra high-performance structural adhesive & universal surface bonding agent

ENECLAD SuperBond High Performance Structural Adhesive & Bonding Agent

A revolutionary structural adhesive that provides unrivaled performance when bonding a new concrete overlay to an existing, cured concrete surface or when bonding synthetic/plastic mortars to virtually any rigid surface. When used to bond new concrete to old, the strength of the resultant bond is many times greater than the cohesive strength of monolithic concrete!

ENECLAD® SuperBond™ is a 100% solids, two-component, high performance polymer composite exhibiting extraordinary adhesion to smooth concrete, tile, stone, brick, block, terrazzo, marble, metal, wood and even glass! SuperBond™ is great for improving the adhesion of conventional caulking materials used in expansion and control joints.

SuperBond™ can even be used as a bonding agent for permanent immersion applications such as in swimming pools or on ships' hulls. It cures chemically, transforming the bondline into a highly durable, waterproof film.



Bonds to Problem Materials:

- Galvanized Surfaces
- Glazed Ceramic Tile
- Glass
- Stainless & Aluminum
- ...and more

SAFETYCLAD...

Create the finest slip-resistant surfaces for the most critical environments

DuraGrip

The Finest Slip-Resistant Surfaces For The Most Demanding Applications

Whether on metal, concrete, tile, marble, slate or terrazzo, our SAFETYCLAD® DuraGrip® systems can be tailor-made to provide the specific level of slip resistance required - from very fine to very coarse.

Our **DuraGrip** systems utilize the finest polymer composite materials available from ENECON to bond a variety of hard wearing aggregates to suit your specific requirements. You can create just about any pattern or shape that the situation demands.

So whether it's steps, walkways, tank tops, ramps, shower areas, or entire floor areas, DuraGrip® systems can provide the best slip-resistant surface possible.

Create the specific slip-resistant patteren you require on ramps & walkways, in bathrooms & shower areas, steps, entry ways, kitchens, heavy foot traffic areas and more.







REPAIR - DON'T REPLACE...

Make us a part of your repair & maintenance team

ENECON[®] Can Provide 'Industrial Strength Solutions' for All Your Repair & Maintenance Needs[™]

Let ENECON® Corporation show you how our high performance polymer composites and applications know-how can save you time, money and aggravation. We're doing it for thousands of demanding clients in over 60 countries around the world. We can provide you with commercially proven and cost effective repair solutions for your machinery, equipment and plant structures damaged by erosion, corrosion, cavitation, wear, impact, abrasion, chemicals, hydrostatic pressure, etc.



Contact us today for a free technical seminar at your facility. We will be happy to share ideas and provide some practical insights into the latest advances in high-tech polymer repair and maintenance technology.















THE ENECON® INTERNATIONAL FAMILY...

There when you need us


















Toll Free: 888-4-ENECON (888-436-3266)

Tel: 516-349-0022 · Fax: 516-349-5522 info@enecon.com

6 Platinum Court · Medford, NY 11763-2251

@ENECONCorp



Copyright © 2022 by ENECON® Corporation. All rights reserved. No part of this work may be reproduced or used in any form or by any means - graphic, electronic or mechanical including photocopying, recording, taping or information storage and retrieval systems - without written permission of ENECON® Corporation.